A Complete Listing of the Claims:

- 1. (Cancelled)
- 2. (Cancelled)
- 3. (Currently amended) A composition according to clam [1] <u>24</u>, further comprising a surfactant.
- 4. (Original) A composition according to claim 3, wherein said surfactant is a fluorosurfactant.
- 5. (Currently amended) A composition according to claim 1, wherein said organic solvent comprises an organic solvent capable of dissolving [at least] between 0.01% and 5.0% by weight of the fluorinated polyether isocyanate derived silane or mixture thereof.
- 6. (Currently amended) A composition according to claim [1] <u>24</u>, wherein said organic solvent comprises a fluorinated organic solvent.
- 7. (Currently amended) A composition according to claim [1] $\underline{24}$, wherein R_f in Formula (I) is of the formula:

-($(R_f^3)_{q'}$ - R_f^2 -O)_{z'}- R_f^1 -(O- R_f^2 -(R_f^3)_q)_z- (III) wherein R_f^1 is a perfluorinated alkyl or a perfluorinated alkylene group, R_f^2 is a perfluorinated polyalkyleneoxy group consisting of perfluorinated alkyleneoxy groups having 1, 2, 3 or 4 carbon atoms or a mixture of such perfluorinated alkyleneoxy groups; R_f^3 is a perfluorinated alkylene group or a substituted perfluorinated alkyl group; q and q' are independently chosen from 0 or 1; z is from 4 to 30, and z' is 0 to 30.

- 8. (Original) A composition according to claim 7, wherein R_f^2 comprises repeating units selected from the group consisting of $-(C_nF_{2n}O)$ -, -(CF(Z)O)-, $-(C_nF_{2n}CF(Z)O)$ -, and $-(CF_2CF(Z)O)$ -, and combinations thereof, wherein n is at least 1 and wherein Z is a fluorine atom, a perfluoroalkyl group, a substituted perfluoroalkyl group, an oxygen-substituted perfluoroalkyl group, a perfluoroalkoxy group, or an oxygen-substituted perfluoroalkoxy group.
- 9. (Original) A composition according to claim 7, wherein R_f^3 comprises repeating units selected from the group consisting of -(C_nF_{2n})- and -(CF(Z))-, and combinations thereof, wherein n is at least 1 and wherein Z is a fluorine atom, a perfluoroalkyl group, a substituted perfluoroalkyl group, an oxygen-substituted perfluoroalkyl group, a perfluoroalkoxy group, or an oxygen-substituted perfluoroalkoxy group.

- 10. (Currently amended) A composition according to claim [1] $\underline{24}$, wherein R_f is $CF_2O(CF_2O)_m(C_2F_4O)_pCF_2$ -, - $CF_2O(C_2F_4O)_pCF_2$ -, - $CF(CF_3)(OCF_2(CF_3)CF)_pO(CF_2)_mO(CF(CF_3)CF_2O)_pCF(CF_3)$ -, or combinations thereof, where an average value for m and p is 0 to 50 and m and p are not independently 0.
- 11. (Currently amended) A composition according to claim [1] $\underline{24}$ wherein R_f is $CF_3CF_2O(CF_2O)_m$ - $(C_2F_4O)_pCF_2$ -, $-CF(CF_3)(OCF_2(CF_3)CF)_pO(CF_2)_mO(CF(CF_3)CF_2O)_pCF(CF_3)$ -, $CF_3CF_2O(C_2F_4O)_pCF_2$ -, $CF_3CF(CF_3)O$ - $(CF(CF_3)CF_2O)_pCF(CF_3)$ -, or combinations thereof, where an average value for m and p is 0 to 50 and m and p are not independently 0.
 - 12. (Cancelled)
- 13. (Currently amended) A method for treating a substrate comprising the step of applying a composition according to claim [1] <u>24</u> to said substrate.
- 14. (Original) The method according to claim 13, wherein said method further comprises curing the applied composition at elevated temperature.
- 15. (Original) The method according to claim 13, wherein said substrate is a ceramic or a glass substrate.
- 16. (Original) The method of claim 13, wherein the substrate is an antireflective surface, wherein said coating composition forms an antisoiling coating thereon.
 - 17. (Cancelled)
 - 18. (Cancelled)
 - 19. (Cancelled)
 - 20. (Cancelled)
 - 21. (Cancelled)
- 22. (Currently amended) An article having a surface, at least a portion of said surface having a coating thereon, said coating comprising a composition according to claim 25 [the reaction product of:
 - (i) a fluorinated polyether compound of the formula $(T'_{k'}-Q')_{y}-R_{f}-Q-T_{k}$ (I) wherein R_{f} is a monovalent or divalent polyfluoropolyether group; Q and Q' is independently a chemical bond, a divalent organic linking group or a trivalent

organic linking group; T and T' are each independently –NCO or an isocyanate reactive group; k' is at least 2; and y is 0 or 1 and;

(ii) a silane compound of the formula

$$T''-Q''-SiY_{3-x}R'_{x}$$
 (II)

wherein T'' is –NCO or an isocyanate reactive group; Q'' is an organic divalent linking group; R' is an alkyl group or an aryl group; Y is a hydrolyzable group; and x is 0 or 1, and wherein at least one of T or T" is –NCO].

- 23. (Original) The article of claim 22 wherein said article is a ceramic or glass substrate.
 - 24. (New) A composition comprising a mixture of:
 - (a) a perfluoropolyetherisocyanate derived silane or a mixture thereof comprising the reaction product of:
 - (i) a fluorinated polyether compound of the formula $(T'_k)_{k'} R_{f^-} T_k$ (I)

wherein R_f is a monovalent or divalent polyfluoropolyether group; T and T' each independently represents $-CO_2R^3$, where R^3 is hydrogen or hydroxyalkyl, or $-C(O)N(R^1)(R^2)$, where R^1 and R^2 are independently hydrogen, polyhydroxyalkylene or polyalkylenepolyamine; ; k' is an integer from 0 to 5; k is an integer from 2 to 5; and y is 0 or 1; and

(ii) a silane compound of the formula
$$T$$
"- Q "- $SiY_{3-x}R'_x$ (II)

wherein T'' is –NCO; Q'' is -(C_nH_{2n})-, where n is 2 to 6; R' is an alkyl group of 1-4 carbon atoms; Y is a C_1 - C_4 alkoxy group; and x is 0 or 1; and

- (b) an organic solvent.
- 25. (New) A composition comprising:
- (a) a perfluoropolyetherisocyanate derived silane or a mixture thereof comprising the reaction product of:
 - (i) a fluorinated polyether compound of the formula $(T'_k)_{k-1} T_k$ (I)

wherein R_f is a monovalent or divalent polyfluoropolyether group; T and T' each independently represents $-CO_2R^3$, where R^3 is hydrogen or hydroxyalkyl, or $-C(O)N(R^1)(R^2)$, where R^1 and R^2 are independently hydrogen, polyhydroxyalkylene or polyalkylenepolyamine; ; k' is an integer from 0 to 5; k is an integer from 2 to 5; and y is 0 or 1; and

(ii) a silane compound of the formula

$$T^{"}-Q^{"}-SiY_{3-x}R'_{x}$$
 (II)

wherein T'' is –NCO; Q'' is - (C_nH_{2n}) -, where n is 2 to 6; R' is an alkyl group of 1-4 carbon atoms; Y is a C_1 - C_4 alkoxy group; and x is 0 or 1.

- 26. (New) A composition comprising a mixture of:
- (a) a perfluoropolyetherisocyanate derived silane or a mixture thereof comprising the reaction product of:

(i) a fluorinated polyether compound of the formula $(T'_k)_{v-}R_{f-}T_k$ (I)

wherein R_f is a monovalent or divalent polyfluoropolyether group; T and T' each independently represents $-CO_2R^3$, where R^3 is hydrogen or hydroxyalkyl, or $-C(O)N(R^1)(R^2)$, where R^1 and R^2 are independently hydrogen, polyhydroxyalkylene or polyalkylenepolyamine; ; k' is an integer from 0 to 5; k is an integer from 2 to 5; and y is 0 or 1;

(ii) a silane compound of the formula

$$T''-Q''-SiY_{3-x}R'_{x}$$
 (II)

wherein T'' is; -OH, -SH, and NHR, where R is hydrogen or a C_1 - C_4 alkyl group; Q'' is -(C_nH_{2n})-, where n is 2 to 6; R' is an alkyl group of 1-4 carbon atoms; Y is a C_1 - C_4 alkoxy group; and x is 0 or1; and

(iii) an aliphatic or aromatic polyisocyanate of the formula: $O(NCO)_z$

wherein Q is a polyalkylene or arylene group optionally containing oxygen, nitrogen, or carboxy groups or combinations thereof, and z is an integer of 2 to 5; and

- (b) an organic solvent.
- 27. (New) A composition comprising:
- (a) a perfluoropolyetherisocyanate derived silane or a mixture thereof comprising the reaction product of:
 - (i) a fluorinated polyether compound of the formula $(T'_k)_{k'}$ R_f - T_k (I)

wherein R_f is a monovalent or divalent polyfluoropolyether group; T and T' each independently represents - CO_2R^3 , where R^3 is hydrogen or hydroxyalkyl, or - $C(O)N(R^1)(R^2)$, where R^1 and R^2 are independently hydrogen, polyhydroxyalkylene or polyalkylenepolyamine; ; k' is an integer from 0 to 5; k is an integer from 2 to 5; and y is 0 or 1;

(ii) a silane compound of the formula

$$T''-Q''-SiY_{3-x}R'_{x}$$
 (II)

wherein T'' is; -OH, -SH, and NHR, where R is hydrogen or a C_1 - C_4 alkyl group; Q'' is -(C_n H_{2n})-, where n is 2 to 6; R' is an alkyl group of 1-4 carbon atoms; Y is a C_1 - C_4 alkoxy group; and x is 0 or1; and

(iii) an aliphatic or aromatic polyisocyanate of the formula: $Q(NCO)_z$

wherein Q is a polyalkylene or arylene group optionally containing oxygen, nitrogen, or carboxy groups or combinations thereof, and z is an integer of 2 to 5.

- 28. (New) A composition according to claim 26, further comprising a surfactant.
- 29. (New) A method for treating a substrate comprising the step of applying a composition according to claim 26 to said substrate.

U.S. Patent Application 10/657,644 Amendment filed July 9, 2007 Reply to Office Action mailed January 16, 2007

- 30. (New) The method according to claim 29, wherein said substrate is a ceramic or a glass substrate.
- 31. (New) The method of claim 29, wherein the substrate is an antireflective surface, wherein said coating composition forms an antisoiling coating thereon.
- 32. (New) An article having a surface, at least a portion of said surface having a coating thereon, said coating comprising a composition according to claim 27.